

Thermal Imaging Camera

SME - 165H

SME - 165H System



System Composition:

Thermal Imaging Equipment + Energy Storage Power + Tripod + Police Light.

Over Temperature audible and visual alarm, automatic photo taking ability, no need to stay for temperature measurement.

SME - 165H Performance





Can be used for measurements in densely populated areas.

Distance: 1M Measuring

Range: 30°C ~ 45°C

Accuracy: ≤ 0.4 °C measuring

SME - 165H Charging & Battery



Type-C USB interface:


Connect PC analysis software and charging function, convenient and fast.

Large Capacity 3.7V / 5000 mAh Lithium Battery.

22650 Single Cell.

Working time is not less than 6 hours, to escort your continuous work.

SME - 165H Software & Analysis




The PC is equipped with a special analysis software system that can perform professional comprehensive analysis and post screening on the original infrared thermal image captured by the thermal imager.

The software is easy to operate and powerful, and can generate an output thermal image analysis report.

Features: Supports SD Card, USB and other import methods. Has powerful image processing capabilities.

SME - 165H Report



After the analysis is completed, the report can be directly generated and exported as a PDF file.

SME - 165H Technical Specification

2.8 Inch TFT Screen

Infrared Resolution: 160x120

Frame Rate: 9Hz

Temperature Measurement Range: 30°C ~ 45°C

Accuracy: +/- 0.5°C

Take and store photos on SD card

PC Analysis Software

Rechargeable Lithium Battery with USB Port

IP65, 2m Drop.

Tripod Mounting Hole ¼ Inch

1 Year Warranty

Company: INFOZENITH PRIVATE LIMITED

Name: MR. MEGHAJIT SINGH

Contact Number: +919702165904

Email: sales@infozenith.in

Website: www.infozenith.in